



Dialogue

ShawContract®

The way to really create understanding & empathy is through dialogue.

Whether it's a quick 'hello' in the hallway, a weekly team check-in, or a rousing live-stream speech, dialogue has power. It is a potent exchange, best experienced face-to-face, that satisfies our human need to connect. To listen and be heard. To confirm and question. To build trust. Dialogue brings people together and highlights what makes us special.

The *Dialogue* collection is a celebration of communication, and its unique ability to foster understanding and connection. It's how we share our ideas, thoughts and feelings. And through its ebbs and flows, one conversation at a time, it forms the bedrock of culture.

COVER:

FACE TO FACE (CARPET TILE 5T405) IN CONNECTION (05105),

TYPE (LVT 4142V) IN CONVERSE (42100)



View 03 Translate
- bottom left
- tiger mat
- Patch of sea

View 06
- Not painting
- Remove blue
- Green B - without shoulders without belly
- light pol bottom left
- Ivy on all
View 05
- will be same -

Quantity wrap on columns
- More light in
- inside material.
- Triangle of dark
- (over)

Languages express themselves in different ways & are constantly evolving.

The *Dialogue* collection is an integrated family of products designed to work together with different points of view, drawing inspiration from language in its many forms. From spoken word to vintage type, Morse code to handwriting, each starting point has been abstracted into new patterns and textures that speak to one another and the people who inhabit the space.

Texture-rich carpets and hard surfaces mix and mingle in beautiful interactions. Translate 9 × 36 and Subtext 9 × 36 Textured Loop tiles ground the space while calming conversation. Each versatile piece inspires unscripted design for a range of focused, open and communal spaces.



Dialogue

Carpet Tile Collection





Spoken

Spoken is a textural and unique medium scale pattern inspired by abstracted language. Neutral tones and color accents shift across each tile creating subtle dynamic variation.

ABOVE:
SPOKEN (CARPET TILE 5T406)
IN CONNECTION (05105),
CODED (LVT 4143V) IN DESCRIBE (43530)

LEFT:
SPOKEN (CARPET TILE 5T406)
IN CONNECTION (05105),
CODED (LVT 4143V) IN CONVERSE (43100)





Written

Written is a highly textural medium scale pattern inspired by hand-written script that drifts across each tile creating areas of relief and concentrated pattern. Neutral tones and color accents shift across each tile creating subtle dynamic variation.

ABOVE AND LEFT:

WRITTEN (CARPET TILE 5T407)

IN CONNECTION (05105)





Subtext

Subtext is a medium scale, textured loop with a high luster yarn that adds patterned sheen.

ABOVE AND LEFT:
SUBTEXT (CARPET TILE 5T409)
IN CONNECTION (05105)





Translate

Translate is a foundational textured loop style that has a subtle high luster accent yarn to make any space feel luxe.

ABOVE AND LEFT:
TRANSLATE (CARPET TILE 5T408)
IN CONNECTION (05105)





Face to Face

Face to Face is a plush and highly textural large scale pattern designed with Tailor Tuft technology. It features playful layered shapes and a detailed high luster accent yarn.

ABOVE:

FACE TO FACE (CARPET TILE 5T405)

IN CONNECTION (05105),

TYPE (LVT 4142V) IN CONVERSE (42100)

LEFT:

FACE TO FACE (CARPET TILE 5T405)

IN CONNECTION (05105)

Conversation Starters


Dialogue is a dynamic family of products that complement, connect and engage with one another in a multitude of brilliant combinations. Face to Face 18 × 36, Spoken 9 × 36 and Written 9 × 36 plush carpet tiles mix with Translate 9 × 36 and Subtext 9 × 36 Textured loop tiles along with Coded 6 × 48 and Type 24 × 24 LVT to round out the Dialogue experience.



Carbon Neutral

All Shaw Contract carpet tile is manufactured in facilities that are 100% carbon-neutral.

Why EcoWorx®?




Lighter & Stronger

EcoWorx® weighs 25% less and has superior tensile strength when compared to traditional PVC backing, resulting in carbon reductions during transport and industry-leading durability.




Cradle to Cradle Certified™

Designed and assessed for environmental and social performance across five critical sustainability categories: material health, material reuse, renewable energy and carbon management, water stewardship, and social fairness.




We Want It Back!

At no cost to you, we will pick up and take back your carpet at the end of its useful life and recycle it directly back into future EcoWorx®. Since 2006, Shaw has reclaimed and recycled nearly 1 billion pounds of post-consumer carpet reducing landfill waste.



Tried & True

EcoWorx® tile has a lifetime warranty. In over two decades, we have manufactured and shipped over 4 billion square feet of EcoWorx® carpet tile.



Material Innovation

We are committed to innovative sustainable solutions. Our circularity journey began over 20 years ago in 1999 with the launch of EcoWorx®, the industry's first PVC-free Cradle to Cradle Certified™ flooring, receiving the Presidential Green Chemistry Award by the U.S. Environmental Protection Agency.



Indoor Air Quality

People spend 90% of their time indoors, making these environments critical to our wellbeing. This product is Green Label Plus (GLP) Certified, meeting the California Department of Public Health (CDPH) indoor air quality standards for low-emitting products.

Colorways

Spoken 5T406 (displayed) | Written 5T407

9 IN × 36 IN | 22.9 CM × 91.4 CM | 12 COLORS | ECOWORX® TILE BACKING



Listen 05100



Script 05210



Connection 05105




Narrative 05675



Message 05515




Story 05111




Phrase 05510




Express 05580



Quip 05485



Exclaim 05500



Verse 05375



Correspond 05585

Translate 5T408 (displayed) | Subtext 5T409


9 IN × 36 IN | 22.9 CM × 91.4 CM | 12 COLORS | ECOWORX® TILE BACKING




Listen 05100




Script 05210



Connection 05105




Narrative 05675




Message 05515




Story 05111



Phrase 05510




Express 05580




Quip 05485



Exclaim 05500



Verse 05375




Correspond 05585

Face to Face 5T405


18 IN × 36 IN | 45.7 CM × 91.4 CM | 6 COLORS | ECOWORX® TILE BACKING




Listen 05100




Connection 05105




Story 05111



Message 05515



Express 05580



Exclaim 05500



Dialogue

LVT Collection



Coded

Coded LVT is 6 × 48 inches, has a 5 mm thickness, a 20 mil wear layer, and a variation index of V2. Inspired by braille, Coded creates an overall visual by layering multidirectional texture and pattern.

ABOVE:

CODED (LVT 4143V) IN CONVERSE (43100),
SPOKEN (CARPET TILE 5T406)
IN CONNECTION (05105)

LEFT:

CODED (LVT 4143V) IN DESCRIBE (43530),
SPOKEN (CARPET TILE 5T406)
IN CONNECTION (05105)




Type

Type LVT is 24 × 24 inches, has a 5 mm thickness, a 20 mil wear layer, and a variation index of V2. Style Type is inspired by deconstructed typography to create an abstract large scale pattern layered over a nondescript foundational texture.

LEFT:

TYPE (LVT 4142V) IN CONVERSE (42100)

Why Coded & Type LVT?



Made in USA

Manufactured in the United States.



Superior Durability

ExoGuard+™ advanced topical finish technology delivers the highest performance scratch resistance and resists UV light degradation, hand sanitizers, disinfectants and common stains.




Polish-Optional Reduces Cost

ExoGuard+™ is a highly durable finish that can be installed as is to reduce the cost of annual maintenance. If a polished look is desired it requires no coating prep work.



LEEDv4 Contributions

IEQ – Floorscore IAQ Certification
MR – RFCI Industry Average EPD



Static and Rolling Loads

The high PSI tolerance of the product enhances resistance to indentation in areas with heavy static and rolling loads per ASTM test methods.




No Transitions Needed

5 mm LVT can be installed next to most carpet tiles without the need for transition strips

Dialogue

Coded and *Type* are engineered with a layered construction for enhanced durability in high-demand environments. It features our maintenance friendly ExoGuard+™ finish with superior resistance to abrasion and scratching. Coded 6 × 48, Type 24 × 24.




Coded 4143V


6 IN × 48 IN | 15 CM × 122 CM | 12 COLORS | EXOGUARD+™ FINISH




V2 Convey 43515




V2 Declare 43504



V2 Imply 43518



V2 Engage 43595




V2 Share 43585




V2 Converse 43100




V2 Describe 43530




V2 Interpret 43761




V2 Connect 43375



V2 Inform 43429




V2 Relate 43210




V2 Fluent 43715


Color and Visual Variation Index




V1



V2



V3



V4

- V1 Uniform Appearance
- V2 Slight Variation
- V3 Moderate Variation
- V4 Substantial Variation

Color and visual variation is inherent in all modular products.
Prior to installation, we recommend reviewing multiple tiles on V3 and V4 colors.

Type 4142V

24 IN × 24 IN | 61 CM × 61 CM | 8 COLORS | EXOGUARD+™ FINISH



V2 Convey 43515



V2 Declare 43504



V2 Imply 43518



V2 Engage 43595



V2 Converse 43100



V2 Describe 43530




V2 Interpret 43761




V2 Share 43585


Color and Visual Variation Index




V1



V2



V3




V4

- V1** Uniform Appearance
- V2** Slight Variation
- V3** Moderate Variation
- V4** Substantial Variation

Color and visual variation is inherent in all modular products.
Prior to installation, we recommend reviewing multiple tiles on V3 and V4 colors.

Palette 01



01. **PROCESS**
 (CARPET TILE 5T302)
 IN SOUK (01500)
 18 × 36 IN

02. **FACE TO FACE**
 (CARPET TILE 5T405)
 IN EXCLAIM (05500)
 18 × 36 IN

03. **SPOKEN**
 (CARPET TILE 5T406)
 IN CORRESPOND (05585)
 9 × 36 IN

04. **TEXTILE**
 (CARPET TILE 5T279)
 IN MERINO (79500)
 18 × 36 IN

05. **SHARE**
 (BROADLOOM 5A260)
 IN HARMONY (01500)

06. **PLAIN WEAVE**
 (CARPET TILE 5T098)
 IN ANGKOR (99500)
 24 × 24 IN

07. **CUT**
 (LVT 0922V)
 IN CHARCOAL (22549)
 18 × 18 IN


08. **AUTHENTICITY**
 (HARDWOOD CA362)
 IN SINCERITY OAK (05048)
 7 × 82 IN

09. **JOIN**
 (RUG G225R)
 IN SMOKE (68500)

10. **TYPE**
 (LVT 4142V)
 IN DESCRIBE (42530)
 24 × 24 IN

11. **BENJAMIN MOORE**
 (INTERIOR PAINT)
 BLACK IRON (2120-20)
 GRAY (2121-10)
 CHELSEA GRAY (HC-168)
 BELLA BLUE (720)

Palette 02



01. **WRITTEN**
 (CARPET TILE 5T407)
 IN MESSAGE (05515)
 9 × 36 IN

02. **VISTA**
 (CARPET TILE 5T380)
 IN EXPANSIVE (71760)
 9 × 36 IN

03. **SOURCE**
 (CARPET TILE 5T315)
 IN OPTIMISTIC (05105)
 9 × 36 IN

04. **PATH**
 (ENTRYWAY TILE 5T034)
 IN LAVA (34549)
 24 × 24 IN

05. **SUSPEND**
 (CARPET TILE 5T391)
 IN CLAY POT (88675)
 9 × 36 IN

06. **TRANSLATE**
 (CARPET TILE 5T408)
 IN CONNECTION (05105)
 9 × 36 IN

07. **SUBTEXT**
 (CARPET TILE 5T409)
 IN MESSAGE (05515)
 9 × 36 IN


08. **SOLITUDE**
 (LVT 0648V)
 IN SMOKE (48506)
 6 × 48 IN

09. **CODED**
 (LVT 4143V)
 IN DECLARE (43504)
 6 × 48 IN

10. **CODED**
 (LVT 4143V)
 IN FLUENT (43715)
 6 × 48 IN


11. **BENJAMIN MOORE**
 (INTERIOR PAINT)
 COLONIAL BRICK
 (2093-30)
 TROUT GRAY (2124-20)
 CINDER (AF-705)
 THUNDERCLOUD
 GRAY (2124-40)

Palette 03



- | | | | | | |
|---|---|--|--|---|---|
| 01. DWELLING
(CARPET TILE 5T239)
IN RAVEN (38505)
9 × 36 IN | 03. BACK WEAVE
(CARPET TILE 5T303)
IN CRAFTED (01580)
18 × 36 IN | 05. SPOKEN
(CARPET TILE 5T406)
IN EXPRESS (05580)
9 × 36 IN | 07. CAST
(LVT 4098V)
IN INSTILL (98585)
24 × 24 IN | 09. CLEARING
(CARPET TILE 5T381)
IN REMOTE (71580)
9 × 36 IN | 11. BENJAMIN MOORE
(INTERIOR PAINT)
COVENTRY GRAY (HC-169)
DEEP SILVER (2124-30)
BITTERSWEET
CHOCOLATE (2114-10)
TWILIGHT (2058-10) |
| 02. SUPPORT
(CARPET TILE 5T267)
IN FOUNDATION (67580)
12 × 48 IN | 04. SUBTEXT
(CARPET TILE 5T409)
IN EXPRESS (05580)
9 × 36 IN | 06. TYPE
(LVT 4142V)
IN IMPLY (42518)
24 × 24 IN | 08. INTRICATE
(LVT 0692V)
IN RELIC (92595)
12 × 24 IN | 10. HEDDLE
(CARPET TILE 5T320)
IN CRAFTED (01580)
9 × 36 IN | |

Palette 04



01. **TRANSLATE**
(CARPET TILE 5T408)
IN CORRESPOND (05585)
9 × 36 IN

02. **WRITTEN**
(CARPET TILE 5T407)
IN VERSE (05375)
9 × 36 IN

03. **SPOKEN**
(CARPET TILE 5T406)
IN VERSE (05375)
9 × 36 IN

04. **PATH**
(ENTRY WAY TILE 5T034)
IN EBONY (34500)
24 × 24 IN

05. **COMPOUND**
(LVT 4077V)
IN GRANITE (77585)
24 × 24 IN

06. **SOLITUDE**
(LVT 0648V)
IN CHAR (48549)
6 × 48 IN

07. **TYPE**
(LVT 4142V)
IN INTERPRET (42761)
24 × 24 IN


08. **CODED**
(LVT 4143V)
IN INTERPRET (43761)
24 × 24 IN

09. **CODED**
(LVT 4143V)
IN INFORM (43429)
24 × 24 IN

10. **CODED**
(LVT 4143V)
IN RELATE (43375)
24 × 24 IN


11. **BENJAMIN MOORE**
(INTERIOR PAINT)
TWILIGHT (2058-10)
GRAY (2121-10)
PEWTER (2121-30)
CUSHING GREEN
(HC-125)

Palette 05



- | | | | | | |
|---|--|--|--|---|--|
| 01. CONSCIOUS
(CARPET TILE 5T359)
IN TWINE (58111)
18 × 36 IN | 03. CODED
(LVT 4143V)
IN INTERPRET (43761)
9 × 36 IN | 05. SPOKEN
(CARPET TILE 5T406)
IN STORY (05111)
9 × 36 IN | 07. FINE POINT
(CARPET TILE 5T113)
IN GOUACHE (13761)
18 × 36 IN | 09. ABIDE
(LVT 4107V)
IN HEIRLOOM OAK (07150)
7 × 48 IN | 11. BENJAMIN MOORE
(INTERIOR PAINT)
COPLEY GRAY (HC-104)
COVENTRY GRAY (HC-169)
GRAY MIST (OC-30) |
| 02. INTENTION
(CARPET TILE 5T360)
IN TWINE (58111)
18 × 36 IN | 04. TRANSLATE
(CARPET TILE 5T408)
IN STORY (05111)
9 × 36 IN | 06. WRITTEN
(CARPET TILE 5T407)
IN STORY (05111)
9 × 36 IN | 08. STIPPLE
(CARPET TILE 5T116)
IN GOUACHE (13761)
18 × 36 IN | 10. STRAND
(LVT 0516V)
IN CLAY (16761)
9 × 36 IN | |

Palette 06



01. **TYPE**
(LVT 4142V)
IN CONVERSE (42100)
24 × 24 IN

03. **SUBTEXT**
(CARPET TILE 5T409)
IN NARRATIVE (05675)
9 × 36 IN

05. **CODED**
(LVT 4143V)
IN FLUENT (43715)
24 × 24 IN

07. **INTRICATE**
(LVT 0692V)
IN LINEN (92760)
12 × 24 IN

09. **WRITTEN**
(CARPET TILE 5T407)
IN NARRATIVE (05675)
9 × 36 IN

11. **BENJAMIN MOORE**
(INTERIOR PAINT)
COLONIAL BRICK (2093-30)
ROMAN SHADE (1228)
ROCKPORT GRAY (HC-105)
STONINGTON GRAY (HC-170)

02. **FACE TO FACE**
(CARPET TILE 5T405)
IN CONNECTION (45105)
18 × 36 IN


04. **CODED**
(LVT 4143V)
IN DESCRIBE (43530)
24 × 24 IN

06. **SLAB**
(CARPET TILE 5T133)
IN FORGE (33518)
24 × 24 IN

08. **HONED**
(CARPET TILE 5T134)
IN FORGE (33518)
24 × 24 IN

10. **SPOKEN**
(CARPET TILE 5T406)
IN NARRATIVE (05675)
9 × 36 IN

Palette 07



01. **AMEND**
 (BROADLOOM 5A252)
 IN METALLIC BEIGE (94760)

02. **BIRCH**
 (BROADLOOM 5A235)
 IN SCENIC (72515)

03. **FLAT WEAVE**
 (CARPET TILE 5T321)
 IN WOOL SAFFRON (01106)
 9 × 36 IN

04. **CODED**
 (LVT 4143V)
 IN RELATE (43210)
 6 × 48 IN

05. **CODED**
 (LVT 4143V)
 IN DECLARE (43504)
 6 × 48 IN

06. **TRANSLATE**
 (CARPET TILE 5T408)
 IN SCRIPT (05210)
 9 × 36 IN

07. **FAMILIAR**
 (CARPET TILE 5T235)
 IN GOLDEN (35210)
 9 × 36 IN


08. **OFFSET**
 (CARPET TILE 5T296)
 IN METALLIC BEIGE (94760)
 24 × 24 IN

09. **COVE**
 (LVT 0927V)
 IN CASTER (27518)
 9 × 48 IN

10. **BELONG**
 (CARPET TILE 5T261)
 IN GREIGE (48516)
 24 × 24 IN

11. **BENJAMIN MOORE**
 (INTERIOR PAINT)
 BRYANT GOLD (HC-7)
 HAWTHORNE YELLOW (HC-4)
 ROCKPORT GRAY (HC-105)

Palette 08



01. **FACE-TO-FACE**
 (CARPET TILE 5T405)
 IN MESSAGE (05515)
 18 × 36 IN

02. **SUBTEXT**
 (CARPET TILE 5T409)
 IN MESSAGE (05515)
 9 × 36 IN

03. **TRANSLATE**
 (CARPET TILE 5T408)
 IN MESSAGE (05515)
 9 × 36 IN

04. **CODED**
 (LVT 4143V)
 IN DESCRIBE (43530)
 6 × 48 IN

05. **STRATUM XL**
 (CORETEC 034UV)
 IN BENNINGTON OAK
 (00605) | 9 × 72 IN

06. **EXPRESSION**
 (CORETEC 4069V)
 IN SAND (69115)
 7 × 48 IN

07. **FLAT WEAVE**
 (CARPET TILE 5T321)
 IN ARGAN (01100)
 9 × 36 IN

08. **STAY**
 (BROADLOOM 5A247)
 IN WRAP (47515)

09. **POURED**
 (CARPET TILE 5T206)
 IN LIMESTONE (06535)
 24 × 24 IN


10. **TEXTILE**
 (CARPET TILE 5T279)
 IN MUSLIN (79516)
 18 × 36 IN

11. **BENJAMIN MOORE**
 (INTERIOR PAINT)
 FLINT (AF-560)
 AMHERST GRAY (HC-167)
 GRAY OWL (OC-52)




Installation 01

Installation 01




- Spoken Carpet Tile (5T406) in Connection (05105)
- Coded LVT (4143V) in Interpret (43761)





Installation 02

Installation 02




-  Translate Carpet Tile (5T408) in Quip (05485)
-  Coded LVT (4143V) in Declare (43504)
-  Written Carpet Tile (5T407) in Listen (05100)



Installation 03

Installation 03



-  Coded LVT (4143V) in Connect (43375)
-  Coded LVT (4143V) in Declare (43504)
-  Written Carpet Tile (5T407) in Listen (05100)




AMERICANO 3
PICCOLO 3.5
LONG BLACK 3.5

HAVE A NICE DAY

Installation 04

Installation 04



■ Coded LVT (4143V) in Relate (43210)

■ Type LVT (4142V) in Declare (42504)




Installation 05

Installation 05



- Subtext Carpet Tile (5T409) in Verse (05375)
- Translate Carpet Tile (5T408) in Exclaim (05500)
- Translate Carpet Tile (5T408) in Express (05580)





Installation 06

Installation 06



- Spoken Carpet Tile (5T406) in Verse (05375)
- Written Carpet Tile (5T407) in Verse (05375)
- Written Carpet Tile (5T407) in Exclaim (05500)
- Spoken Carpet Tile (5T406) in Exclaim (05500)






Installation 07

Installation 07




- Written Carpet Tile (5T407) in Connection (05105)
- Subtext Carpet Tile (5T409) in Connection (05105)
- Coded LVT (4143V) in Describe (43530)






Installation 08

Installation 08



-  Translate Carpet Tile (5T408) in Narrative (05675)
-  Type LVT (4142V) in Convey (42515)






Installation 09

Installation 09




-  Translate Carpet Tile (5T408) in Narrative (05675)
-  Type LVT (4142V) in Converse (42100)





Installation 10

Installation 10





Written Carpet Tile (5T407) in Quip (05485)

Type LVT (4142V) in Engage (42595)



Installation 11

Installation 11



-  Subtext Carpet Tile (5T409) in Quip (05485)
-  Coded LVT (4143V) in Engage (43595)



Installation 12

Installation 12




-  Coded LVT (4143V) in Fluent (43715)
-  Coded LVT (4143V) in Describe (43530)






Installation 13

Installation 13




- Face to Face Carpet Tile (5T405) in Exclaim (05500)
- Coded LVT (4143V) in Describe (43530)






Installation 14

Installation 14



-  Subtext Carpet Tile (5T409) in Script (05210)
-  Written Carpet Tile (5T407) in Script (05210)
-  Coded LVT (4143V) in Converse (43100)






RECEPTION →
ELEVATOR
PARKING

Installation 15

Installation 15



- Face to Face Carpet Tile (5T405) in Express (05580)
- Face to Face Carpet Tile (5T405) in Message (05515)
- Coded LVT (4143V) in Describe (43530)








Dialogue

Specifications








Style Name	Spoken		Written		Face to Face	
Style Number	5T406	GX406	5T407	GX407	5T405	GX405
Secondary Backing	EcoWorx® Tile	EcoLogix® Tile	EcoWorx® Tile	EcoLogix® Tile	EcoWorx® Tile	EcoLogix® Tile
		150 yd² minimum		150 yd² minimum		150 yd² minimum
Cradle to Cradle Certified™	Silver Level (v3.1)	Bronze Level (v3.1)	Silver Level (v3.1)	Bronze Level (v3.1)	Silver Level (v3.1)	Bronze Level (v3.1)
Construction	Multi-level Pattern Cut/Loop		Multi-level Pattern Cut/Loop		Multi-level Pattern Cut/Loop	
Fiber	Eco Solution Q® Nylon		Eco Solution Q® Nylon		Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed		100% Solution Dyed		100% Solution Dyed	
	US Units	Metric Units	US Units	Metric Units	US Units	Metric Units
Tufted Weight	28.0 oz/yd²	949.4 g/m²	28.0 oz/yd²	949.4 g/m²	30.0 oz/yd²	1,017.2 g/m²
Gauge	1/10	39.4 per 10 cm	1/10	39.4 per 10 cm	1/10	39.4 per 10 cm
Stitches per Inch	10.0	39 per 10 cm	10.0	39 per 10 cm	9.0	37 per 10 cm
Finished Pile Thickness	0.132 in	3.35 mm	0.132 in	3.35 mm	0.127 in	3.23 mm
Average Density	7,636 oz/yd³	0.283 g/cm³	7,636 oz/yd³	0.283 g/cm³	8,504 oz/yd³	0.315 g/cm³
Kilotex		9.20		9.20		8.53
Product Size	9 in × 36 in	22.9 cm × 91.4 cm	9 in × 36 in	22.9 cm × 91.4 cm	18 in × 36 in	45.7 cm × 91.4 cm
Protective Treatments	SSP® Shaw Soil Protection		SSP® Shaw Soil Protection		SSP® Shaw Soil Protection	
Radiant Panel	(ASTM E 648) Class I		(ASTM E 648) Class I		(ASTM E 648) Class I	
NBS Smoke	(ASTM E 662) < 450		(ASTM E 662) < 450		(ASTM E 662) < 450	
Electrostatic Propensity	Less Than 3.5 kV, Built-in		Less Than 3.5 kV, Built-in		Less Than 3.5 kV, Built-in	
	Permanent Conductive Fiber		Permanent Conductive Fiber		Permanent Conductive Fiber	
Warranty*	Lifetime Commercial Limited		Lifetime Commercial Limited		Lifetime Commercial Limited	

*For detailed warranty and the most accurate information on recycled content visit shawcontract.com.

Recommended Installation Methods



MonolithicAshlarBrickStaggerHerringbone



MonolithicAshlarBrickStaggerBasketweaveHalf BasketweaveHerringbone

Spoken and WrittenFace to Face


Dialogue

Specifications

Style Name	Subtext		Translate	
Style Number	5T409	GX409	5T408	GX408
Secondary Backing	EcoWorx® Tile	EcoLogix® Tile	EcoWorx® Tile	EcoLogix® Tile
		150 yd² minimum		150 yd² minimum
Cradle to Cradle Certified™	Silver Level (v3.1)	Bronze Level (v3.1)	Silver Level (v3.1)	Bronze Level (v3.1)
Construction	Multi-level Pattern Loop		Multi-level Pattern Loop	
Fiber	Eco Solution Q® Nylon		Eco Solution Q® Nylon	
Dye Method	100% Solution Dyed		100% Solution Dyed	
	US Units	Metric Units	US Units	Metric Units
Tufted Weight	20.0 oz/yd²	678.1 g/m²	20.0 oz/yd²	678.1 g/m²
Gauge	1/10	39.4 per 10 cm	1/10	39.4 per 10 cm
Stitches per Inch	9.5	37 per 10 cm	9.0	37 per 10 cm
Finished Pile Thickness	0.097 in	2.46 mm	0.092 in	2.34 mm
Average Density	7,423 oz/yd³	0.275 g/cm³	7,826 oz/yd³	0.290 g/cm³
Kilotex		8.65		8.50
Product Size	9 in × 36 in	22.9 cm × 91.4 cm	9 in × 36 in	22.9 cm × 91.4 cm
Protective Treatments	SSP® Shaw Soil Protection		SSP® Shaw Soil Protection	
Radiant Panel	(ASTM E 648) Class I		(ASTM E 648) Class I	
NBS Smoke	(ASTM E 662) < 450		(ASTM E 662) < 450	
Electrostatic Propensity	Less Than 3.5 kV, Built-in		Less Than 3.5 kV, Built-in	
	Permanent Conductive Fiber		Permanent Conductive Fiber	
Warranty*	Lifetime Commercial Limited		Lifetime Commercial Limited	

*For detailed warranty and the most accurate information on recycled content visit shawcontract.com.

Recommended Installation Methods



Dialogue

Specifications

Style Name	Coded
Style Number	4143V
Construction	Heavy Commercial Luxury Vinyl Tile
Finish	ExoGuard+™
Class / ASTM 1700	Class III, Type B
Installation	Direct Glue
Recommended Adhesive	Shaw 4100, 4151 or S150

	US Units	Metric Units
Nominal Dimensions	6 in × 48 in	15 cm × 122 cm
Wear Layer Thickness	0.02 in	20 mil (0.51 mm)
Overall Thickness	0.197 in	5.0 mm
Actual Width	5.96 in	15.14 cm
Actual Length	48.0 in	121.92 cm

Static Load	(ASTM F970) Passes, Modified 1500 PSI
Residual Indentation	(ASTM F1914) Passes
Resistance to Heat	(ASTM F1514) Passes
Resistance to Light	(ASTM F1515) Passes
Resistance to Chemicals	(ASTM F925) Passes
Radiant Panel	(ASTM 648) Class 1
NBS Smoke	(ASTM E662) < 450
Warranty*	15 Year Commercial Limited






Type	4142V
	Heavy Commercial Luxury Vinyl Tile
	ExoGuard+™
	Class III, Type B
	Direct Glue
	Shaw 4100, 4151 or S150

US Units	Metric Units
24 in × 24 in	61 cm × 61 cm
0.02 in	20 mil (0.51 mm)
0.197 in	5.0 mm
24.0 in	60.96 cm
24.0 in	60.96 cm

(ASTM F970) Passes, Modified 1500 PSI
(ASTM F1914) Passes
(ASTM F1514) Passes
(ASTM F1515) Passes
(ASTM F925) Passes
(ASTM 648) Class 1
(ASTM E662) < 450
15 Year Commercial Limited

*For detailed warranty information visit shawcontract.com.

Recommended Installation Methods



Monolithic





Ashlar

Brick

Stagger

Herringbone

Coded



Monolithic

Quarter Turn

Ashlar

Brick

Stagger

Type



ShawContract®