


## Form Tile

Product Type	<b>Carpet Tile</b>
Collection	<b>Noble Materials</b>
Style Number	<b>5T136</b>
Construction	<b>Multi-Level Pattern Cut/Loop</b>
Fiber	<b>Ecosolution Q® Nylon</b>
Dye Method	<b>100% Solution Dyed</b>
Primary Backing	<b>Synthetic</b>
Secondary Backing	<b>Ecworx® Tile</b>
Protective Treatments	<b>SSP® Shaw Soil Protection</b>
Recommended Adhesive	<b>LokWorx+ Carpet Tile Adhesive, Shaw 5100, Shaw 4151, LokDots, LokWorx, Shaw 3800 or Shaw 5036</b>


	u.s.	metric
Product Size	<b>24 in x 24 in</b>	<b>61 cm x 61 cm</b>
Area per Carton	<b>48 ft²</b>	<b>4.46 m²</b>
Pieces per Carton	<b>12 pcs</b>	
Gauge	<b>1/10 in</b>	<b>39.4 per 10 cm</b>
Stitches	<b>8.0 per in</b>	<b>32.0 per 10 cm</b>
Finished Pile Thickness	<b>0.149 in</b>	<b>3.78 mm</b>
Average Density	<b>6765 oz/yd³</b>	<b>0.25 g/cm³</b>
Kilotex		<b>7.48</b>
Total Thickness	<b>0.299 in</b>	<b>7.59 mm</b>
Tufted Weight	<b>28 oz/yd²</b>	<b>949.4 g/m²</b>




## Recommended Installation Method




**Quarter Turn**



**Monolithic**



**Brick**



**Ashlar**

## Coordinating Products

LVT: **Emerge**

Carpet Tile: **Slab Tile, Honed Tile, Alchemy Tile**

Broadloom: **Monolith Woven, Base Metal Woven, Strata, Fault**

## Performance + Testing

Antimicrobial Assessment	<b>Passes (AATCC-174) (When installed using Shaw 5036 adhesive)</b>
Pill Test	<b>Pass</b>
Radiant Panel	<b>Class I</b>
NBS Smoke	<b>Less Than 450</b>
Electrostatic Propensity	<b>Less Than 3.5 kv</b>
CRI Green Label Plus (GLP)	<b>USA GLP9968   China GLP1263</b>
ADA Compliance	<b>&gt;0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes***</b>

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Warranties

Lifetime Commercial Limited Warranty

## Product Transparency

Shaw Contract is dedicated to providing clients with a building chemistry that's safe and dependable. Working together, we will help you meet your goals as they pertain to material health. EcoWorx® products with Eco Solution Q® Nylon are Cradle to Cradle Certified® Silver and assessed for impacts on human health and the environment. This product can be recycled. When it's time to replace, we can collect and recycle it through our Environmental Guarantee.\*

## Attributes + Certifications

Cradle to Cradle Certified®

Health Product Declaration (HPD)

Environmental Product Declaration (EPD)

Living Building Challenge (LBC)

Declare

NSF 140

CRI Green Label Plus (GLP)

Building Research Establishment (BRE)

Good Environmental Choice Australia (GECA)

Singapore Green Label

CE Marking (EN 14041)

Environmental Guarantee\*

Total Recycled Content

Product Packaging

Country of Origin\*\*

## LEED Contribution Credit

MR Credit: Building Product Disclosure and Optimization  
Environmental Product Declarations - Option 1: Environmental Product  
Declaration (EPD)

MR Credit: Building Product Disclosure and Optimization  
Material Ingredients - Option 1: Material Ingredient Reporting

MR Credit: Building Product Disclosure and Optimization  
Material Ingredients - Option 2: Material Ingredient Optimization

MR Credit: Building Product Disclosure and Optimization  
Sourcing of Raw Materials - Option 2: Leadership Extraction Practices

EQ Credit: Low Emitting Materials  
Option 1: Product Category Calculations

MR Credit: Interiors Life-Cycle Impact Reduction  
Option 3: Design for Flexibility

**Silver Level (Version 4.0)****1,000 ppm Disclosure****3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804****Free of Red List Chemicals****LBC Compliant USA | China****Gold****USA GLP9968 | China GLP1263****Certified USA****Certified****Certified****3rd Party Certified**

**Shaw Pledges to Transport And Recycle Any Ecoworx Tile or  
Broadloom Carpet Within The United States And Canada At No Cost  
to The Customer.**

**34% (Pre-Consumer 34% | Post-Consumer 0%)****100% Recyclable****USA & China****3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804****C2C Silver Level (Version 4.0)****3rd Party Certified in Accordance with ISO14044, ISO14025 & EN15804**

**Environmental Guarantee: Shaw Pledges to Transport And Recycle  
Any Ecoworx Tile or Broadloom Carpet Within The United States And  
Canada At No Cost to The Customer.**

**Green Label Plus Certification: GLP9968****Ecoworx Tile with Lokdots Installation System**

## Additional Information

\* To learn more about the recyclability of our products and our Environmental Guarantee, please visit [shawcontract.com/sustainability](http://shawcontract.com/sustainability).

\*\*Meets or exceeds all local and national regulations in country of manufacture.

\*\*\*This carpet is manufactured to be ADA compliant, but to be fully ADA compliant, the end-user must ensure the carpet is adhered to the floor and installed as outlined in the ADA standards.

[Installation Guidelines](#)

[Maintenance Guidelines](#)

Specifications are subject to nominal manufacturing variance. Material supply and/or manufacturing processes may necessitate changes without notice.

This product is an exclusive design and may not be duplicated in any manner. Use of this design in the creation of another product design is also strictly prohibited.

Visit [shawcontract.com/testing](http://shawcontract.com/testing) for more information.



**Declare.**



**PVC-Free**



Corporate Headquarters +1 800 257 7429 | +1 706 532 7984 | Atlanta +1 404 853 7429 | Bengaluru +91 80 6773 0202 | Beijing +86 10 6568 588 | Chicago +1 312 467 1331 | Dubai +971 4 584 6956 | Hong Kong +852 2623 0371 | Latin America (Miami) +1 305 827 5912 | London +44 207 961 4120 | Los Angeles +1 800 233 1614 | Melbourne +61 3 9939 8543 | Mexico City +55 5010 7600 | Mumbai +91 22 6284 5050 | Nantong +86 400 800 7429 | New York +1 212 953 7429 | Paris +33 (0) 1 81 22 44 39 | San Francisco +1 415 955 1920 | Santiago +562 2431 5000 x 550 | São Paulo +55 11 3071 1702 | Shanghai +86 21 3338 4000 | Singapore +65 6733 1811 | Sydney +1 800 556 302