

Enigma 425

1x8W 1/50W/PAR16 GU10 / 120V / Black / Blk / - / - / - / 10000146255

The fixture emits glare-free, soft, comfortable downward light. The shade design ensures even illumination of the surface. The matte upper surface diffuses the light, while the shiny lower surface ensures optimal reflection.



Shoichi Uchiyama

Shoichi Uchiyama was born and bred in Tokyo. Since the foundation of Shoichi Uchiyama Design Office in 1977, he has been committed to creation of lighting fixtures with glare-free indirect light that make objects beautiful, and allow people to feel the texture and depth of objects.



RealDania



VP

**louis
poulsen**

Design to Shape Light

louispoulsen.com

Product info

Information

Electrical: System Wattage: 8W LED Wattage: 7 W Delivered lumens: 341 - 487 Efficacy: 42.6 lm/W - 60.9 lm/W
 Certifications: cULus, Dry Location Protection class IP20 Controllability: Phase dimming Actual performance dependent upon screw-base lamp used.

Mounting

Canopy: White. Cord type: 3-conductor, 18 AWG white PVC power cord. Cord length: 12'.

Finish

Brushed aluminum, clear coated or black wet painted. Shades: White or black acrylic.

Materials

Cone and pendant tube: Lacquered or wet painted brushed aluminum. Wire: Stainless steel. Shades: Acrylic.

Sizes and weight

Width x Height x Length (in.) | 16.6 x 29.3 x 16.6 Max 2.5 lbs

Compliance

cULus, Dry location.

Light source

1x8W 1/50W/PAR16 GU10


Information

Electrical:
 System Wattage: 8W
 LED Wattage: 7 W
 Delivered lumens: 341 - 487
 Efficacy: 42.6 lm/W - 60.9 lm/W
 Certifications:
 cULus, Dry Location
 Protection class IP20
 Controllability: Phase dimming
 Actual performance dependent upon screw-base lamp used.


Product family



Enigma 545




Enigma 825




Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
ENIGMA PENDANT, SHADE 120 W/BUSH. WHITE	5741086786
ENIGMA PENDANT, SHADE 210 WHITE	5741086799
ENIGMA PENDANT, SHADE 310 WHITE	5741086809
ENIGMA PENDANT, SHADE 422 WHITE	5741086812
ENIGMA PENDANT SHADE 120 W/BUSH. BLK	5741088878
ENIGMA PENDANT SHADE 210 BLK	5741088881
ENIGMA PENDANT SHADE 310 BLK	5741088894
ENIGMA PENDANT SHADE 422 BLK	5741088904

Data specifications

Colour	Black	Length	16.6
Width	16.6	Height	29.3

Enigma 425

Built-in Height	-
Class	-
Standby (W)	-
Inrush Current	-
Kelvin	-
SDCM	3
Watt	-
Light control	-
UGR Transversal / Axial	6.2/6.2
Driver life	-

IP class	20
Net Weight	2.5
Power Factor (P = 100 % / P = 50 %)	-
Light source	1x8W 1/50W/PAR16 GU10
CRI	90
Lumen	-
Efficacy	-
Min. Dim Level (%)	-
L80B50 (hours)	-