

LOGICMEET TABLES



7% commodity and
freight surcharge
in effect as of
November 15, 2021

2 0 2 1



Mailing Address: HBF PO Box 8 Hickory NC 28603-0008	Shipping Address: HBF 900 - 12th Street Drive NW Hickory NC 28601-4763	Contact: Phone: 1.855.HBF.2020 828.328.2064 Fax: 828.485.2690 Info: hbfservice@hbf.com www.hbf.com	Order Processing: Phone: 1.855.HBF.2020 828.328.2064 Fax: 828.485.2690 hbforders@hbf.com
--	---	--	---

	PAGE
REFERENCE	2-32
Overview	2
Scope of Line	3
Materials and Finishes	5
Product Material Options Overview	6-7
How to Specify	8
Edge Details	10
Locks and Keying	11
Tech Specs	12
Height Reference	16
Top Shapes and Grain Direction	18
Product Reference	20
Floor Monument Locations	26
Meeting Rooms Typical	27
TABLE TOPS	28-31
Round	29
Rectangular	30
TECHNOLOGY	32-40
Powered Grommet & MediaConnect Tech Units	33
Single Space AAP	36
Double Space AAP	39
Miscellaneous Accessories	40
TABLE BASES	41-47
Intersecting Panel Base	42
Drum Base	44
Panel Base	45
Base Covers	47
CREDENZAS & ANCILLARY	48-54
Conference Cabinets	49
Conference Cabinets with Suspended Buffet Shelf	51
Lecterns	54
WEIGHTS & CUBES	55



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE	FINISH	TECHNOLOGY CUTOUT
Indicate type as part of model #		

OPTION OVERVIEW

TYPE

W Wood



Wood Edge Detail

WOOD TOPS

LOGICmeet Wood Veneer Conference tops come standard with a 1/2" thick hardwood edgeband, mitered on the corners. Please see page 12 for details.


TECHNOLOGY CUTOUT

There are a variety of cutout option sets for the different size tops in the LOGICmeet Conference series. Please see the corresponding cut out matrices for each size top and if cut outs are desired, order the technology separately on the specified page.



TABLE TOPS

Rectangular




Round




BASES FOR RECTANGULAR TOPS

Panel Base




BASES FOR ROUND TOPS

Intersecting Panel Base




Drum Base




CREDENZAS & ANCILLARY

Conference Cabinets




Conference Cabinets with Suspended Shelf



Lectern




Lectern with Shroud






TECHNOLOGY


MediaConnect Tech Unit – Closed




MediaConnect Tech Unit – Open




MediaConnect Tech Unit – Front View




Power Grommet – Closed



Power Grommet – Open



Power Grommet – Front View





VENEER 1	PLAIN SLICED MAPLE	
	Natural Maple	NE800
	Honey Maple	NE873
	PLAIN SLICED CHERRY	
	Wheat Cherry	NC706
	Light Cherry	NC701
	Canyon Cherry	NC744
	Burnished Cherry	NC777
	Medium Brown Cherry	NC215
	Chestnut Cherry	NC293
	Dark Red Cherry	NC511
	Chicory Cherry	NC284
	PLAIN SLICED WALNUT	
	Light Roast Walnut	NT601
	Coffee Walnut	NT615
	Sumatra Walnut	NT693
	Charcoal Grey Walnut	NT637
	Dark Roast Walnut	NT684
	Nutmeg Walnut	NT629
	Ebony Walnut	**NT509
VENEER 2	QUARTER SLICED MAPLE	
	Natural Maple	QE800
	Honey Maple	QE873
	QUARTER SLICED CHERRY	
	Wheat Cherry	QC706
	Light Cherry	QC701
	Canyon Cherry	QC744
	Burnished Cherry	QC777
	Medium Brown Cherry	QC215
	Chestnut Cherry	QC293
	Dark Red Cherry	QC511
	Chicory Cherry	QC284
	QUARTER SLICED WALNUT	
	Light Roast Walnut	QT601
	Coffee Walnut	QT615
	Sumatra Walnut	QT693
	Charcoal Grey Walnut	QT637
	Dark Roast Walnut	QT684
	Nutmeg Walnut	QT629
	Ebony Walnut	**QT509
	RIFT CUT OAK	
	Light Rift Oak	RF301
	Dark Rift Oak	RF331

LAMINATES	WOODGRAIN	
	Bourbon Cherry	PL701
	Shaker Cherry	PL7935
	Walnut Heights	PL7965
	Columbian Walnut	PL7943
	Skyline Walnut	PL7964
	Beigewood	PLBW
	Looks Likatre	PLWP110
	SOLID	
	Designer White	PLWH
	Carnation White	PLSW806
	Eggshell White	PLSW803

* See Technical Specifications for laminate manufacturer cross reference.

SOLID SURFACE		
	Alabaster White	SAW
GLASS	Caffe	GCF
	Designer White	GWH
	Muslin	GML
	Black	GBK
	Pearl	GPR

FSC PRODUCT

HBF holds Forest Stewardship Council® (FSC) Chain-of-Custody Certification® (SCS-COC-002143). This certification agreement allows HBF to offer FSC® certified veneer or core on a project specific basis.

An upcharge of 5% list per unit for conference products, will apply to all FSC® specified units. For FSC® Certified Product add "FSC" to beginning of finish option code. (Example: FSCNC701)

CUSTOM FINISHES	An upcharge of 10% Net per unit for conference products, with a minimum upcharge of \$500 Net per order, will apply for any custom wood veneer finish.
-----------------	--

** Ebony Walnut Veneer only available on wood bases



MAPLE




NE800
Natural Maple



NE873
Honey Maple

OAK




RF301
Light Rift Oak




RF331
Dark Rift Oak


CHERRY




NC701
Light Cherry




NC744
Canyon Cherry




NC215
Med. Brown Cherry




NC511
Dark Red Cherry



NC706
Wheat Cherry



NC777
Burnished Cherry



NC293
Chestnut Cherry




NC284
Chicory Cherry


WALNUT




NT629
Nutmeg Walnut




NT615
Coffee Walnut




NT637
Charcoal Grey Walnut



NT684
Dark Roast Walnut



NT601
Light Roast Walnut




NT693
Sumatra Walnut


WOOD LAMINATES




PLBW
Beigewood




PL7965
Walnut Heights




PL7943
Columbian Walnut



PL7964
Skyline Walnut



PL701
Bourbon Cherry



PL7935
Shaker Cherry



PLWP110
Looks Likatre

HBF Legacy finishes are considered match panel finishes. They will include a 5% net up-charge for seating/occasional tables & a 10% net up-charge for conference OR a minimum up-charge of \$500 per order.

Screen images are intended as a guide only and should not be regarded as absolutely correct.
For exact color/texture, please contact the HBF Resource Center at resourcecenter@hbf.com for an actual sample.



SOLID LAMINATES



PLSW806
Carnation White



PLSW803
Eggshell White



PLWH
Designer White


POWDER COATS



SP
Satin Pewter



LG
Light Grey




BL
Black

SOLID SURFACES



SAW
Alabaster White

BACK PAINTED GLASS




GWH
Designer White



GPR
Pearl



GML
Muslin



GCF
Caffè



GBK
Black

HBF Legacy finishes are considered match panel finishes. They will include a 5% net up-charge for seating/occasional tables & a 10% net up-charge for conference OR a minimum up-charge of \$500 per order.

Screen images are intended as a guide only and should not be regarded as absolutely correct.

For exact color/texture, please contact the HBF Surface Materials at HBFSurfaceMaterials@hbf.com for an actual sample.

Wood owes its inherent beauty to variations in color, grain, and texture; therefore, these variations are not considered defects. Due to the natural color and grain variances of wood substance, the final finish color, texture and grain may vary from one furniture piece to another, even though they are finished at the same time. Exposure to light and the aging process will cause changes in surface color of natural wood products. Light finishes on wood products do not mask the natural characteristics of wood. HBF does not guarantee the exact matching of grain, pattern and color.

All HBF products are standard in a 30° sheen.

The finishes shown above are for reference only. For approval prior to placing your order, please request actual finish sample.




HOW TO ORDER
LOGICMEET TABLES

HBF’s LOGICmeet Conference tables are available in a wide variety of shapes and sizes designed to fulfill a multitude of conferencing requirements from informal meeting areas to the executive boardroom.

STEP 1
SELECT SHAPE

Select the table shape that meets your requirements.




STEP 2
SELECT SIZE

Select the table size that fits the footprint of the conference area.

Round	Rectangular			
36	42x72	48x72	54x120	60x120
42	42x84	48x84	54x144	60x144
48	42x96	48x96		
54	42x108	48x108		
60	42x120	48x120		
66		48x144		
72				

STEP 3
SELECT
TOP MATERIAL



STEP 4
SELECT TOP FINISH

LOGICmeet Conference tables are available in a variety of finishes. Please see page 6 for specific option codes for veneer tops.



STEP 5

SELECT TECHNOLOGY
CUTOUTS

HBF's LOGICmeet Conference tables offer a choice in technology integration. When specifying a table top, use the top's corresponding cut-out matrix to see the available cut-outs for that size. LOGICmeet tables are available with some or all of the options below depending on the top size:

GN – No Grommet on the table

GCR – 1 Centered Round Grommet (for Round Table Tops only)

1CM – 1 Centered MediaConnect Unit in the center of the table

2EM – 2 Equally Spaced MediaConnect Units on the table

3EM – 3 Equally Spaced MediaConnect Units on the table

STEP 6

SELECT TECHNOLOGY
INTEGRATION

After choosing the cut-outs desired for the table top, use the matrix to determine how many technology units need to be ordered to be integrated into the table. MediaConnect Tech Units are available with an aluminum door or wood door for use on wood tops. Use the diagrams on the corresponding MediaConnect Tech Unit pages to determine what Extron plates can be fit into the unit. Extron plates are available in single or double space AAP models.

For more information on the Extron plates, please use the given Extron part number to locate the plate on Extron's website at: www.extron.com

STEP 7

SELECT BASE

HBF's LOGICmeet round tables are available with either an intersecting panel base or a drum base. Intersecting panel bases are available in metal or wood, and drum bases are available in wood. Base models are made for use with specific top sizes, so please be aware of those sizes noted on the pages.

Conference table panel bases are available in metal or wood. As with the round table tops, these bases are to be used with certain size tops, and should be ordered based on the "For use w/ top size" column noted on each page.

For example: HB1BSP2472-M is a metal panel base for use with rectangular table top. This is noted as "For use w/ top size 42/48 x 72." This means that this base model can be specified with either a 42 x 72 table top or a 48 x 72 table top.

Additionally, the number of bases are called out on the panel base pages. When ordering, please refer to page 30 if you need floor monument dimensions based on top sizes. Panel bases come standard with a thin profile base cover. Base covers are also available in 3 ½" and 7" sizes to allow for floor monuments to act as wire managers. Refer to LOGICmeet product reference pages for dimensions and more information.



All LOGICmeet tops have a finger-pull recessed on the bottom of the edge detail.

WOOD VENEER TOPS



Wood veneer tops are available in plain sliced or quarter sliced maple, cherry, or walnut, as well as rift cut oak. Please see page 12 for more details.



FACTORY INSTALLED LOCKS Two lock options are available. When the factory installed lock option is selected lock cores are installed at the factory. Note: when the random option is selected some units may be shipped with the same key number. When the field installed lock option is selected each unit is shipped with an empty lock cylinder. Locks are Silver or Black.

OPTION 1	option code
SILVER RANDOM KEYS	RMS
BLACK RANDOM KEYS	RMB
OPTION 2	specify a number between
SILVER DESIGNATED KEYS	FT100TAS - FT150TAS
BLACK DESIGNATED KEYS	FT100TA - FT150TA

FIELD INSTALLED LOCKS Field installed locks are also available. When field installed locks are specified each unit is shipped with an empty lock cylinder. A separate line item must be ordered to receive the numbered lock cores for field installation. Field installed locks are available at an additional charge of \$5 list per lock core.

	model number	option code
SILVER DESIGNATED KEYS	HK1LCKFLD	100TAS-150TAS
BLACK DESIGNATED KEYS	HK1LCKFLD	100TA-150TA



veneers

LogicMeet tables are offered in 4 natural wood species: Cherry, Maple, Walnut or Oak veneer. All exposed wood surfaces utilize select Plain Sliced Cherry, Maple, Walnut veneers or premium Quarter Cut Cherry, Maple, Walnut or Rift Cut Oak veneers. These veneers are carefully selected and slip matched to assure balance and consistency throughout the product. All solid wood edgebands are species matched except for Rift Cut Oak which is paired with solid Ash hardwoods.

WOOD TABLE TOPS

Wood veneer tops feature a balanced 3-ply construction and are comprised of a premium 1" thick MDF substrate. Wood veneer tops are faced with premium veneer and backed with a polymer resin impregnated moisture resistant material. All hardwood edgebands are ½" thick, mitered on the corners. LogicMeet is standard with a knife edge profile. The bottom of the top is machined on all sides with an integral finger route. Multi-piece tops are connected with 1/8" thick plastic splines for vertical alignment and steel mechanical fasteners for horizontal alignment to firmly connect the tops end to end.

METAL PANEL AND INTERSECTING BASES

LogicMeet metal panel bases are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The bottom of the frame includes threaded inserts for glides with 1 1/8" of vertical adjustment. A steel top plate is welded to the frame assembly to attach the base to the table top. Steel frame sides include standoff bushings for attachment of removable covers. Wire management covers are punched with keyhole slots to provide a connection point to the internal frame. Internal frame includes threaded steel inserts for support beam attachment.

WOOD PANEL AND INTERSECTING BASES

LogicMeet wood panel bases are balanced 5-ply construction and are 1 1/4" thick, comprised of particleboard. The internal panel is externally banded with profiled solid hardwood bands. The bottom of the internal panel includes threaded steel glide plates and glides with 1 1/8" of vertical adjustment. A steel top plate is attached to the internal wood panel to attach the base to the table top. Wood frame includes standoff bushings for attachment of removable covers. Wire management covers include machined keyhole slots to provide a connection point to the internal frame. The internal wood panel is machined and includes steel threaded inserts for attachment of the aluminum beams and removable wire management covers.

BEAM SUPPORT UNDERSTRUCTURE

LogicMeet panel base assemblies include dual beam construction. A powder coated extruded aluminum beam assembly (6 ½"h x 1.5"w) spans between the bases to provide support to the table top over long spans. The extruded aluminum beam is connected to the bases with steel screws and threaded inserts located in the frame. The extruded aluminum beam profile includes a notch for the connection of plastic wire management clip. Wire management clips are included with the beam assembly. The bottom of the beam is covered with a ½" thick MDF balanced 3 ply panel, faced and backed with a polymer resin impregnated moisture resistant material. Cover attaches to the bottom of the beam with nylon thumb screws. The beam, wire management clips and cover provide an area to neatly house all the electrical and data wires under the table top. When a wood base assembly is specified, a matching ¾" wood veneer panel is applied to the exterior of the frame.

See base ordering pages for number of frame sections. Longer frames ship in multiple sections. Be sure to note the length of frames and sections to accommodate any building logistical issues. Multiple section frames are field assembled.

WOOD DRUM BASES

Inner material consists of a wood composite tube. Top and bottom panels are a 3/4" particleboard glued and pinned to the composite tube. Top and bottom panels include appropriate cutouts for routing wires from the top to the floor for wire management models. The cylinder core is faced with a 2-ply material utilizing an outer plain sliced select veneer on a 1/28" poplar cross band. This 2-ply face material is attached to the cylinder core with permanent bond PVA glue. A 3/4" sub-top is attached to the base with screws and provides an attachment method to connect the base to the top. The sub-top is pre-bored for screws for easy attachment to top. Glides with 1 1/8" of adjustment are included for leveling.



CONFERENCE CABINETS

Conference cabinet suspended tops are the same construction as table tops with two exceptions; glass tops do not include subtop and tops do not include an integral finger route. All credenza tops are 1 piece. See table tops for additional technical specifications.

All chassis are constructed of balanced 3-ply particleboard panels, 1" thick exterior panels and ¾" vertical divider are securely fastened together using glued fluted dowels. Bottom panel attached with dowels and pocket bore screws. Adjustable shelves are balanced 5-ply, 1" thick particleboard internally crossbanded with veneer face and backer. Shelves are adjustable height on shelf pins.

Credenzas are available with hinged or sliding doors. Hinged door units include fully adjustable, 100° swing, self closing hinges. Sliding door units include an integrated track roller system.

Credenza legs are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The bottom of the frame includes threaded inserts for glides with 1 1/8" of vertical adjustment. A steel top plate is welded to the assembly to attach the leg base to the bottom of the Credenza.

Credenza suspended shelf risers are constructed of a welded metal tubular steel internal frame assembly which is covered in formed sheet metal and then powder coated. The riser is connected to the top of the credenza with threaded inserts welded to the interior of the riser and is attached with steel fasteners. A steel top plate is welded to the assembly to attach the top of the riser to the suspended shelf.

LECTERN

Lecterns are constructed of balanced 3 ply, ¾" thick particleboard panels. Cabinet is held together with glued fluted dowels and mechanical fasteners. The bottom of the cabinet is supported by a welded metal tubular steel frame assembly. The corners of the assembly are tapped to accommodate a 3 3/16" dual wheel locking caster or nylon glides. Hinged doors include fully adjustable, 100° swing, self closing hinges. Internal panels are cut short to allow vertical wire management in the lectern. The angled 5° degree presentation platform top is supported by round steel powder coated standoffs and includes a pencil lip to provide a stop for papers and pens. The front of the lectern beneath the angled platform and the top of the enclosed cabinet is wrapped in a powder coated formed steel shroud. The lectern also includes a sliding cup holder that can be extended from the left or right position. Lecterns include optional locks and a technology package (microphone, gooseneck light, power/data unit).

Microphone manufacturer is audio-technica. The 18.94" version of the U857Q, the U857QL cardioid condenser quick-mount gooseneck microphone is designed to plug directly into a panel or desk-mounted XLR-type connector. The microphone offers unsurpassed immunity from radio frequency. It features an ultra-flexible small-diameter gooseneck and accepts interchangeable elements, available in cardioid, hypercardioid, omnidirectional and UniLine® line cardioid polar patterns. Equipped with self-contained electronics, the phantom-powered microphone also offers an 80 Hz low-cut UniSteep® filter that reduces pickup of low-frequency ambient noise. For complete specifications reference, http://www.audio-technica.com/cms/wired_mics/a4b81557c190ae16/index.html

Gooseneck light is a Littlite (IS #2-LED) L-18-LED with bottom mount cord for a clean, cord free installation. Littlite LED lampset includes three-way rotary switch enables user to toggle between white light and red light output. Littlite lampsets have a twelve-inch cord set terminating in a 2.1mm socket. GXF-10 power supply (included) has a six-foot cable terminating in a 2.1mm plug. For complete specifications reference, <http://www.littlite.com/products/product/164>

Power/data unit is 4 7/16"D x 8 5/16"W, silver clear anodized aluminum finish. Unit includes a 6'-ft, 15 amp standard plug-in power cord, (2) electrical outlets and (2) voice/data openings. Voice/data communication adapter kit included. Cover is touch latch and remains open during use. Unit is field installed. UL Listed. Note: voice/data jacks not included.

Units with an external shroud are constructed of balanced 3 ply, ¾" thick particleboard panels or fused acrylic panels. Shrouds are fastened to the internal cabinet with (4) round steel powder coated stand offs.



MEDIACONNECT PORTS

Recessed in table top, unit is 6 1/2" d x 8 1/2" w, silver finish. Cover flips up to access power and data ports. Veneer table tops are available with a silver anodized aluminum door, aluminum door with veneer insert or aluminum door with solid surface insert.

Each powder coated sheet metal enclosure is rated for 15 amp, 125 volt with circuit breaker. Units can be specified with 10' grounded standard plug or 6' hardwire conduit option. Units include (4) electrical outlets and (2) double space Extron AAP plates or (4) single space Extron AAP plates. Numerous jack options available, see ordering page for available options. Unit is field installed. UL Listed.

ROUND POWER/DATA

Recessed in table top, unit is 3 7/8" diameter with a brushed aluminum finish. Each machined aluminum enclosure contains a simplex power receptacle, HDMI connector, VGA connector, 3.5mm audio connector and an RJ45 cat 5E connector. Unit only available with a 10' grounded standard plug. Unit is field installed. UL Listed – 12 amp. Units can be specified for veneer, laminate, solid surface or glass table tops.

POWER CABLE KIT

Convenient way to connect all power cords to a single power source. Unit includes 10' power in feed conduit. The power cable kit is rated for 20 amps per circuit allowing the use of 2 circuits with 2 line conductors, 1 neutral and 1 ground. The line conductors, neutral and ground are all 12 AWG. The kit can be wired in both single and 3-phase configurations, 240/ 120V, 208/ 120V, respectively. UL Listed, to be installed by certified electrician.

LOCKS

Brushed nickel or black face locks are optional on all standard height and buffet height credenza units. Locks specified on the buffet credenza are located on the lower hinged doors only; sliding doors are non-locking. Lock plugs are either factory or field installed.

KEYING

Keying is available either factory or field installed. Factory installed keying offers two options: random or designated. When the random keying option is selected an arbitrary key number will be assigned to the unit. Note: some furniture units may have like key numbers when random keying is selected. When the designated keying option is selected a key number must be specified between 100TAS-150TAS for silver lock core and 100TA-150TA for black lock cores. All keys are solid brass. When the field installed keying option is selected, a lock cylinder will not be included in the furniture unit. A lock master key and lock cylinder package must be specified separately to install the lock cylinders in the field. The master key provides the ability for lock cylinders to be easily installed and removed in the field.

TRASH CAN ACCESSORY

3.5 gallon, black rubber trash can. Unit connects to back side of credenza door with sheet metal mounting bracket.



WOOD FINISH

All HBF tops feature a 20 sheen, open pore, water based, UV cured low-emitting finish. The open pore finish accentuates the natural texture of the wood. All non-writing surfaces (modesty panels) receive an application of 30 sheen, low-emitting, conversion varnish finish. Both processes enhance the beauty of the natural wood and ensure the depth, clarity, color consistency and durability throughout the life of the product.

CLEANING WOOD

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.

CLEANING LAMINATE

Dust with damp cloth. Remove fingerprints or soiling with mild solution; 3 parts water with small amount of mild dish detergent. Apply solution with spray bottle, wipe clean and dry with soft cloth. Note: Do not use furniture polishes containing oil, wax or silicone, which can produce an oily film or haze.

LAMINATE


Cross Reference

DESCRIPTION	OPTION CODE	MANUFACTURER	PART #
Bourbon Cherry	PL701	Wilsonart	11034-07
Shaker Cherry	PL7935	Wilsonart	7935-7
Walnut Heights	PL7965	Wilsonart	7965K-78
Columbian Walnut	PL7943	Wilsonart	7943-7
Skyline Walnut	PL7964	Wilsonart	7964K-78
Beigewood	PLBW	Wilsonart	7850-60
Looks Likatre	PLWP110	Pionite	WP110
Designer White	PLWH	Wilsonart	D354-60
Carnation White	PLSW806	Pionite	SW806
Eggshell White	PLSW803	Pionite	SW803



NOTE: All heights in this section include glides.

HEIGHT REFERENCE





Reference applies to wood tops only.

Contact the HBF Client Experience team for number of sections on laminate, glass, and solid surface tops.

BREADTH OF LINE


144" W				
120" W				
108" W				
96" W				
84" W				
72" W				
	42" D	48" D	54" D	60" D



BREADTH OF LINE


Primary Use:

Conference room table tops for board rooms, staff conference rooms, and meeting rooms.



Grain Direction:

All wood LogicMeet tops run short grain, grain running depth of top.




Example:

Grain Running Depth of Top


d x w	seating capacity	# of top sections	wood, solid surface & glass grain direction	laminate grain direction
42 x 72	4-6	1	depth	width
42 x 84	6-8	1	depth	width
42 x 96	6-8	1	depth	width
42 x 108	6-8	1	depth	width
42 x 120	8-10	1	depth	width
48 x 72	4-6	1	depth	width
48 x 84	6-8	1	depth	width
48 x 96	6-8	1	depth	width
48 x 108	8-10	1	depth	width
48 x 120	8-10	1	depth	width
48 x 144	10-12	2	depth	width
54 x 120	8-10	3	depth	width
54 x 144	10-12	3	depth	width
60 x 120	8-10	3	depth	width
60 x 144	10-12	3	depth	width



BREADTH OF LINE




ROUND



Note: Lines above represent number of sections per table top.



Primary Use:
Conference room table
tops for video conference,
meeting rooms, and small
staff conference rooms.




ROUND	diameter	seating capacity	# of top sections	wood, solid surface, & glass grain direction	laminate grain direction
	36	3-4	1	depth	depth
	42	3-5	1	depth	depth
	48	3-5	1	depth	depth
	54	5-6	2	depth	depth
	60	5-7	2	depth	depth
	66	5-7	2	depth	depth
	72	6-8	2	depth	depth




METAL PANEL BASE DIMENSIONS FOR USE WITH 42/48" TOPS




Thin Metal Base Cover – End Base




Thin Metal Base Cover – Center Base




3 1/2" Metal Base Cover – End Base




3 1/2" Metal Base Cover – Center Base



7" Metal Base Cover – End Base





7" Metal Base Cover – Center Base




■ = Wire Management Opening




WOOD PANEL BASE DIMENSIONS FOR USE WITH 42/48" TOPS




Thin Wood Base Cover – End Base




Thin Wood Base Cover – Center Base




3 1/2" Wood Base Cover – End Base




3 1/2" Wood Base Cover – Center Base



7" Wood Base Cover – End Base











7" Wood Base Cover – Center Base



■ = Wire Management Opening




METAL PANEL BASE DIMENSIONS FOR USE WITH 54/60" TOPS




■ = Wire Management Opening




WOOD PANEL BASE DIMENSIONS FOR USE WITH 54/60" TOPS




Thin Wood Base Cover – End Base




Thin Wood Base Cover – Center Base




3 1/2" Wood Base Cover – End Base




3 1/2" Wood Base Cover – Center Base



7" Wood Base Cover – End Base






7" Wood Base Cover – Center Base




■ = Wire Management Opening




INTERSECTING PANEL BASE DIMENSIONS FOR USE WITH ROUND TABLE TOPS




42/48" Metal Base




42/48" Wood Base




54/60" Metal Base




54/60" Wood Base



66/72" Metal Base




66/72" Wood Base







DRUM BASE DIMENSIONS FOR USE WITH ROUND TABLE TOPS




Standard




Wire Access Door




36/42/48" Base



54/60" Base



66/72" Base





■ = Wire Management Opening



PANEL BASE

Primary Use:



Conference room table tops for video conference, meeting rooms, and small staff conference rooms.



	d x w	center of base A	center of base B	center of base C	center of base D	center of base E
RECTANGULAR TOPS	42 x 72	19 9/16	-	-	-	52 7/16
	42 x 84	19 9/16	-	-	-	64 7/16
	42 x 96	19 9/16	-	-	-	76 7/16
	42 x 108	19 9/16	-	-	-	88 7/16
	42 x 120	19 9/16	-	-	-	100 7/16
	48 x 72	19 9/16	-	-	-	52 7/16
	48 x 84	19 9/16	-	-	-	64 7/16
	48 x 96	19 9/16	-	-	-	76 7/16
	48 x 108	19 9/16	-	-	-	88 7/16
	48 x 120	19 9/16	-	-	-	100 7/16
	48 x 144	19 9/16	-	-	-	124 7/16
	54 x 120	19 9/16	-	-	-	100 7/16
	54 x 144	19 9/16	-	-	-	124 7/16
	60 x 120	19 9/16	-	-	-	100 7/16
	60 x 144	19 9/16	-	-	-	124 7/16



MEETING ROOM




Item	Page	Model	Description	Veneer 1	Veneer 2	Quantity	Ext. Veneer 1	Ext. Veneer 2
A	44	HB1TRD48-W	48" Round Table Top	2,795	3,005	1	2,795	3,005
B	77	HK1BSD18-W	18" Wide Drum Base	1,555	1,670	1	1,555	1,670
C	87	HB1CCL2049-WW	49" Conference Cabinet with Wood Doors	5,570	5,990	1	5,570	5,990
Total							9,920	10,665



	PAGE
TABLE TOPS	28-31
Round	29
Rectangular	30



BREADTH OF LINE

	Model	Dimensions DIA	List Price Veneer 1	Veneer 2
	HB1TRD36-W	36	2,035	2,190
	HB1TRD42-W	42	2,240	2,410
	HB1TRD48-W	48	2,795	3,005
	HB1TRD54-W	54	3,265	3,510
	HB1TRD60-W	60	3,735	4,015
	HB1TRD66-W	66	4,730	5,085
	HB1TRD72-W	72	6,150	6,610

TECHNOLOGY OPTIONS

ROUND TABLE TOPS										
technology cut-out option	cut-out option code	description	36 DIAMETER	42 DIAMETER	48 DIAMETER	54 DIAMETER	60 DIAMETER	66 DIAMETER	72 DIAMETER	technology model # required
	GN	No Grommet	•	•	•	•	•	•	•	N/A
	GCR	Round Grommet	•	•	•	•	•	•	•	HK1PG-__
	1CM	1 Centered MediaConnect unit				•	•	•	•	HK1MC-__

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 33-40.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood

FINISH

See page 6

TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

•

•


Example Order String: HB1TRD36-W.NC701.GN



BREADTH OF LINE

	Model	Dimensions OD	OW	List Price Veneer 1	Veneer 2
42" TOPS	HB1TRT4272-W	42	72	3,395	3,650
	HB1TRT4284-W	42	84	3,800	4,085
	HB1TRT4296-W	42	96	4,265	4,585
	HB1TRT42108-W	42	108	4,615	4,960
	HB1TRT42120-W	42	120	5,115	5,500
48" TOPS	HB1TRT4872-W	48	72	4,005	4,305
	HB1TRT4884-W	48	84	4,485	4,820
	HB1TRT4896-W	48	96	5,030	5,405
	HB1TRT48108-W	48	108	5,630	6,050
	HB1TRT48120-W	48	120	6,190	6,655
	HB1TRT48144-W	48	144	7,730	8,310

TECHNOLOGY OPTIONS

technology cut-out option	cut-out option code	description	42" DEPTH TOPS					48" DEPTH TOPS					technology model # required	quantity
			42 x 72	42 x 84	42 x 96	42 x 108	42 x 120	48 x 72	48 x 84	48 x 96	48 x 108	48 x 120		
	GN	No Grommet	•	•	•	•	•	•	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	•	•	•	•	•	•	HK1MC-___	1
	2EM	2 Equally Spaced MediaConnect Unit			•	•	•		•	•	•	•	HK1MC-___	2
	3EM	3 Equally Spaced MediaConnect Unit					•				•	•	HK1MC-___	3

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 34-40.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood

FINISH

See page 6


TECHNOLOGY CUTOUT

(Insert option from shaded area on next page)

Example Order String:



BREADTH OF LINE



	Model	Dimensions OD	OW	List Price Veneer 1	Veneer 2
54" TOPS	HB1TRT54120-W	54	120	6,030	6,480
	HB1TRT54144-W	54	144	7,980	8,580
60" TOPS	HB1TRT60120-W	60	120	7,620	8,190
	HB1TRT60144-W	60	144	9,075	9,755

TECHNOLOGY OPTIONS

technology cut-out option	cut-out option code	description	54" DEPTH TOPS		60" DEPTH TOPS		technology model # required	quantity
			54 x 120	54 x 144	60 x 120	60 x 144		
	GN	No Grommet	•	•	•	•	N/A	N/A
	1CM	1 Centered MediaConnect Unit	•	•	•	•	HK1MC-__	1
	2EM	2 Equally Spaced MediaConnect Unit	•	•	•	•	HK1MC-__	2
	3EM	3 Equally Spaced MediaConnect Unit	•	•	•	•	HK1MC-__	3

NOTE: Above options are for cut-out only, technology ports ordered separately on pages 34-40.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER + TYPE

Indicate type as part of model #

W = wood

FINISH

See page 6

TECHNOLOGY CUTOOUT

(Insert option from shaded
area on next page)

• • •

Example Order String:




	PAGE
TECHNOLOGY	32-40
Powered Grommet & MediaConnect Tech Units	33
Single Space AAP	36
Double Space AAP	39
Miscellaneous Accessories	40



	Model	Description	Dimensions DIA	OW	List Price
SOFTWARE	HK1PG-SP	Brushed Aluminum	4 1/4	6 1/4	1,465

- For use on wood tops



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER







	Model	Description	Dimensions		List Price
			OD	OW	Metal
HARDWIRE	HK1MC-AHW	Aluminum Door	11 1/4	10 1/4	1,465

- For use on wood tops

SOFTWARE	HK1MC-ASP	Aluminum Door	11 1/4	10 1/4	1,465
----------	-----------	---------------	--------	--------	-------

- For use on wood tops



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER







	Model	Description	Dimensions		List Price	Veneer 1	Veneer 2
			OD	OW			
HARDWIRE	HK1MC-WHW	Wood Door	11 1/4	10 1/4	1,755		1,885

- For use on wood tops

SOFTWARE	HK1MC-WSP	Wood Door	11 1/4	10 1/4	1,755		1,885
----------	-----------	-----------	--------	--------	-------	--	-------

- For use on wood tops



PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER




FINISH

See page 6



Example Order String: HK1MC-WHW.NC701




	Model	List Price
	HK17009011	45
	• Blank • Extron Part Number: 70-090-11	
	HK17010173	200
	• Labeled (1) Audio • (1) VGA F-F • Extron Part Number: 70-101-73	
	HK17041111	110
	• (1) RJ11 Phone F-F • Extron Part Number: 70-411-11	
	HK17049111	165
	• (2) RJ45 Data F-F • Extron Part Number: 70-491-11	

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



	Model	List Price
	HK17049112 • (2) RJ45 Data F-Punchdown for CAT6 AMP • Extron Part Number: 70-491-12	225
	HK17049114 • (2) RJ45 Data F-Punchdown for CAT6 Otronics • Extron Part Number: 70-491-14	225
	HK17049115 • (2) RJ45 Data F-Punchdown for CAT6 Leviton • Extron Part Number: 70-491-15	225
	HK17049116 • (2) RJ45 Data F-Punchdown for CAT6 Panduit • Extron Part Number: 70-491-16	225

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER

Example Order String: HK17049112





	Model	List Price
	HK17061602 • HDMI Plate F/F • Extron Part Number: 70-616-02	170
	HK17045412 • Two USB A Female to Two USB A Female on 10" Pigtailed • Extron Part Number: 70-454-12	170

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER





	Model	List Price
	HK170107602 • (1) HDMI, (1) VGA, (1) Audio, (1) USB • Female to Female on 10" Pigtails • Extron Part Number: 70-1076-02	445
	HK17009012 • Blank • Extron Part Number: 70-090-12	60
	HK17010011 • (2) RJ45 Data F-F • Extron Part Number: 70-100-11	150
	HK17014712 • Extender AAP (1) Audio • (1) VGA • Extron Part Number: 70-147-12	1,180
	HK17026701 • Cable Pass Through Set • This is a set of Extron Part Numbers: Left Black: 70-270-01 Right Black: 70-267-01	270

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER




Example Order String: HK170107602



	Model	Dimensions		List Price
		OD	OW	
POWER CABLE KIT	HK1PWRKT12		244	820



- Power Cable Kit with 12 outlets



TRASH CAN	HK1TRASH	8 1/2	11 1/2	165
-----------	----------	-------	--------	------------



- Credenza Trash Can Accessory
- Includes sheet metal mounting bracket

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____




MODEL NUMBER





	PAGE
TABLE BASES	41-47
Intersecting Panel Base	42
Drum Base	44
Panel Base	45
Base Covers	47



METAL	Model	For use w/ top size	Dimensions OD	OW	List Price Metal
24" BASE	HB1BSI24-M	42, 48	28	28	1,770
					
32" BASE	HB1BSI32-M	54, 60	36	36	2,755
					
42" BASE	HB1BSI42-M	66, 72	46	46	3,890
					

NOTE : Intersecting Panel Base not available for use with 36" Round Table Tops




PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



Example Order String: HB1BSI24-M



WOOD	Model	For use w/ top size	Dimensions OD	OW	List Price Veneer 1	Veneer 2
24" BASE 	HB1BSI24-W	42, 48	28	28	1,860	2,000
32" BASE 	HB1BSI32-W	54, 60	36	36	2,905	3,125
42" BASE 	HB1BSI42-W	66, 72	46	46	4,090	4,395

NOTE : Intersecting Panel Base not available for use with 36" Round Table Tops

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER



FINISH

See page 6



Example Order String: HB1BSI24-W.NC701




WOOD	Model	For use w/ top size	Dimensions OD	OW	List Price	Veneer 1	Veneer 2
	STANDARD	HK1BSD18-W	36, 42, 48	18	20	1,555	1,670
		HK1BSD24-W	54, 60	24	26	2,065	2,220
		HK1BSD36-W	66, 72	36	38	2,685	2,885
	WIRE ACCESS DOOR	HK1BSDA18-W	36, 42, 48	18	20	2,750	2,955
		HK1BSDA24-W	54, 60	24	26	3,375	3,630
		HK1BSDA36-W	66, 72	36	38	3,995	4,295

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	FINISH
	See page 6



METAL	Model	For use w/ top size	# of bases	# of covers	Dimensions OD	OW	List Price Metal
FOR 42" AND 48" TOPS 	HB1BSP2472-M	42/48 X 72	2	2	28	37 7/8	2,530
	HB1BSP2484-M	42/48 X 84	2	2	28	49 7/8	2,845
	HB1BSP2496-M	42/48 X 96	2	2	28	61 7/8	3,180
	HB1BSP24108-M	42/48 X 108	2	2	28	73 7/8	3,565
	HB1BSP24120-M	42/48 X 120	2	2	28	85 7/8	3,795
	HB1BSP24144-M	42/48 X 144	2	2	28	109 7/8	4,895
FOR 54" AND 60" TOPS 	HB1BSP32120-M	54/60 X 120	2	2	36	85 7/8	4,830
	HB1BSP32144-M	54/60 X 144	2	2	36	109 7/8	5,750

NOTES:

- If choosing NBM2, NBM4, or NBM6 (no base covers), covers MUST be ordered separately on page 47
- Please note how many covers are required for each model, as you MUST specify the appropriate TCM or NBM option for that model, for that order to be completed properly.

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____


MODEL NUMBER

PANEL BASE COVERS

For Tables with 2 Bases (72" - 144" Table Tops):
 TCM2 - two thin profile satin pewter metal base covers included
 NBM2 - no base covers (deduct \$200 and order covers separately
 on page 47)

Example Order String: HB1BSP2472-M.TCM2



WOOD	Model	For use w/ top size	# of bases	# of covers	Dimensions OD	OW	List Price Metal	List Price Veneer 1	Veneer 2
FOR 42" AND 48" TOPS 	HB1BSP2472-W	42/48 X 72	2	2	28	37 7/8		2,665	2,865
	HB1BSP2484-W	42/48 X 84	2	2	28	49 7/8		2,985	3,210
	HB1BSP2496-W	42/48 X 96	2	2	28	61 7/8		3,350	3,600
	HB1BSP24108-W	42/48 X 108	2	2	28	73 7/8		3,750	4,030
	HB1BSP24120-W	42/48 X 120	2	2	28	85 7/8		4,000	4,300
	HB1BSP24144-W	42/48 X 144	2	2	28	109 7/8		5,150	5,535
FOR 54" AND 60" TOPS 	HB1BSP32120-W	54/60 X 120	2	2	36	85 7/8		5,080	5,460
	HB1BSP32144-W	54/60 X 144	2	2	36	109 7/8		6,055	6,510

NOTES :

- If choosing NBW2, NBW4, or NBW6 (no base covers), covers MUST be ordered separately on page 47
- Please note how many covers are required for each model, as you MUST specify the appropriate TCW or NBW option for that model, for that order to be completed properly.

PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER

PANEL BASE COVERS

For Tables with 2 Bases (72" - 144" Table Tops):
 TCW2 - two thin profile wood base covers included
 NBW2 - no base covers (deduct \$300 and order covers separately on page 47)

Example Order String: HB1BSP2472-M.TCM2



	Model		Dimensions Metal OD	Metal OW	Wood OD	Wood OW	List Price Metal	Veneer 1	Veneer 2
1" COVER 	HB1BCV1- 		1	12	1	14	425	560	600
3-1/2" COVER 	HB1BCV3- 		3 5/8	12	3 13/16	14	635	1,115	1,200
7" COVER 	HB1BCV7- 		6 7/8	12	7	14	865	1,250	1,345

Cover Matrix for Panel Bases used on Conference Table Tops

Top Size	# of Bases	# of Covers Required
72	2	2
84	2	2
96	2	2
108	2	2
120	2	2
144	2	2

NOTES:

- A metal cover may be used on either a wood or metal base
- A wood cover may be used on either a wood or metal base

PLEASE SPECIFY THE FOLLOWING TO ORDER:



MODEL NUMBER + TYPE

Indicate type as part of model #

 = metal
 = wood

FINISH

See page 6
 Finish option not required
 when choosing metal
 base covers

 • 


Example Order String: HB1BCV1-M



	PAGE
CREDENZAS	48-54
Conference Cabinets	49
Conference Cabinets with Suspended Buffet Shelf	51
Lecterns	54



Model	Dimensions			Number of Doors	List Price	Veneer 1	Veneer 2
	OD	OW	OH				
ACRYLIC W/ OVAL PULL HB1CCL2036-WY	19 1/2	36	29 1/2	2	4,885	5,250	
HB1CCL2049-WY	19 1/2	49	29 1/2	2	6,120	6,580	
HB1CCL2072-WY	19 1/2	72	29 1/2	3	7,565	8,130	
HB1CCL2096-WY	19 1/2	96	29 1/2	4	9,515	10,230	



- Locks not available on acrylic door models

PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER


FINISH

See page 6

•



	Model	Dimensions			Number of Doors	List Price	Veneer 1	Veneer 2
		OD	OW	OH				
WOOD W/ BAR PULL	HB1CCL2036-WW	19 1/2	36	29 1/2	2	4,440		4,775
	HB1CCL2049-WW	19 1/2	49	29 1/2	2	5,570		5,990
	HB1CCL2072-WW	19 1/2	72	29 1/2	3	6,885		7,400
	HB1CCL2096-WW	19 1/2	96	29 1/2	4	8,645		9,295




PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	LOCKS	KEYING
Indicate type as part of model #	See page 6	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black




	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
ACRYLIC DOORS W/OVAL PULL AND LAMINATE TOP	HB1CCLS2240-WYL	21 1/2	40	34 5/8	5,055	5,435	
	HB1CCLS2253-WYL	21 1/2	53	34 5/8	6,335	6,810	
	HB1CCLS2276-WYL	21 1/2	76	34 5/8	8,180	8,795	
	HB1CCLS22100-WYL	21 1/2	100	34 5/8	10,270	11,040	



• Locks not available on acrylic door models

WOOD DOORS W/BAR PULL AND LAMINATE TOP	HB1CCLS2240-WWL	21 1/2	40	34 5/8	4,600	4,945	
	HB1CCLS2253-WWL	21 1/2	53	34 5/8	5,765	6,195	
	HB1CCLS2276-WWL	21 1/2	76	34 5/8	7,435	7,995	
	HB1CCLS22100-WWL	21 1/2	100	34 5/8	9,345	10,045	




PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	FINISH	LAMINATE	LOCKS	KEYING
	See page 6	See page 6	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black

Example Order String: HB1CCLS2240-WYL.NC701.PLWH.LY.FL




	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
ACRYLIC DOORS	HB1CCLS2240-WYS	21 1/2	40	34 1/8	7,305	7,855	
W/OVAL PULL AND	HB1CCLS2253-WYS	21 1/2	53	34 1/8	9,155	9,840	
SOLID SURFACE TOP	HB1CCLS2276-WYS	21 1/2	76	34 1/8	11,805	12,690	
	HB1CCLS22100-WYS	21 1/2	100	34 1/8	14,840	15,955	



- Locks not available on acrylic door models

WOOD DOORS	HB1CCLS2240-WWS	21 1/2	40	34 1/8	6,640	7,140	
W/BAR PULL AND	HB1CCLS2253-WWS	21 1/2	53	34 1/8	8,320	8,945	
SOLID SURFACE TOP	HB1CCLS2276-WWS	21 1/2	76	34 1/8	10,730	11,535	
	HB1CCLS22100-WWS	21 1/2	100	34 1/8	13,485	14,495	




PLEASE SPECIFY THE FOLLOWING TO ORDER: _____

MODEL NUMBER	FINISH	SOLID SURFACE	LOCKS	KEYING
	See page 6	See page 6	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black

Example Order String: HB1CCLS2240-WYS.NC701.SAW.LY.FL




	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
ACRYLIC DOORS W/OVAL PULL AND GLASS TOP	HB1CCLS2240-WYG	21 1/2	40	34 7/8	7,305	7,855	
	HB1CCLS2253-WYG	21 1/2	53	34 7/8	9,155	9,840	
	HB1CCLS2276-WYG	21 1/2	76	34 7/8	11,805	12,690	
	HB1CCLS22100-WYG	21 1/2	100	34 7/8	14,840	15,955	



- Locks not available on acrylic door models

WOOD DOORS W/BAR PULL AND GLASS TOP	HB1CCLS2240-WWG	21 1/2	40	34 7/8	6,640	7,140	
	HB1CCLS2253-WWG	21 1/2	53	34 7/8	8,320	8,945	
	HB1CCLS2276-WWG	21 1/2	76	34 7/8	10,730	11,535	
	HB1CCLS22100-WWG	21 1/2	100	34 7/8	13,485	14,495	



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	GLASS	LOCKS	KEYING
	See page 6	See page 6	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black


Example Order String: HB1CCLS2240-WYG.NC701.GCF.LY.FL




	Model	Dimensions			List Price	Veneer 1	Veneer 2
		OD	OW	OH			
LECTERN	HB1LCT	26 1/2	25 3/4	40 3/16	6,190		6,655



LECTERN W/WOOD SHROUD	HB1LCTS-W	27 5/16	29 3/4	46 1/16	7,440		8,000
-----------------------	-----------	---------	--------	---------	--------------	--	--------------



LECTERN W/ALABASTER WHITE SOLID SURFACE SHROUD	HB1LCTS-Y	27 5/16	29 3/4	46 1/16	8,490		9,125
--	-----------	---------	--------	---------	--------------	--	--------------



PLEASE SPECIFY THE FOLLOWING TO ORDER:

MODEL NUMBER	FINISH	LOCKS	KEYING	TECHNOLOGY OPTION	BASE FOOT
	See page 6	LY - locks yes LN - locks no	FL - field installed locks RMS - random silver RMB - random black FT100TAS-FT150TAS - factory installed silver FT100TA-FT150TA - factory installed black	LTN Technology No LTY Technology Yes – Microphone, Goose-neck Light, Power/Data Unit (+\$1,655)	GLD - base with glides CST - base with locking casters

Example Order String: HB1LCT.NC701.LY.FL.LTY.GLD



MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1BCV1-M	12 lbs.	0.7	47
HB1BCV1-W	17 lbs.	0.9	47
HB1BCV3-M	13 lbs.	1.3	47
HB1BCV3-W	22 lbs.	1.5	47
HB1BCV7-M	14 lbs.	2.0	47
HB1BCV7-W	25 lbs.	2.2	47
HB1BSI24-M	124 lbs.	17.4	42
HB1BSI24-W	95 lbs.	17.4	43
HB1BSI32-M	144 lbs.	27.5	42
HB1BSI32-W	105 lbs.	27.5	43
HB1BSI42-M	172 lbs.	43.4	42
HB1BSI42-W	115 lbs.	43.4	43
HB1BSP24108-M	181 lbs.	12.0	45
HB1BSP24108-W	158 lbs.	12.0	46
HB1BSP24120-M	189 lbs.	12.7	45
HB1BSP24120-W	168 lbs.	12.7	46
HB1BSP24144-M	197 lbs.	14.1	45
HB1BSP24144-W	188 lbs.	14.1	46
HB1BSP2472-M	157 lbs.	10.0	45
HB1BSP2472-W	128 lbs.	10.0	46
HB1BSP2484-M	165 lbs.	10.6	45
HB1BSP2484-W	138 lbs.	10.6	46
HB1BSP2496-M	173 lbs.	11.3	45
HB1BSP2496-W	148 lbs.	11.3	46
HB1BSP32120-M	241 lbs.	18.0	45
HB1BSP32120-W	189 lbs.	18.0	46
HB1BSP32144-M	261 lbs.	20.4	45
HB1BSP32144-W	214 lbs.	20.4	46
HB1CCL2036-WW	131 lbs.	16.5	50
HB1CCL2036-WY	131 lbs.	16.5	49
HB1CCL2049-WW	168 lbs.	22.0	50
HB1CCL2049-WY	168 lbs.	22.0	49
HB1CCL2072-WW	131 lbs.	31.7	50
HB1CCL2072-WY	131 lbs.	31.7	49
HB1CCL2096-WW	289 lbs.	41.9	50
HB1CCL2096-WY	289 lbs.	41.9	49
HB1CCLS22100-WWG	391 lbs.	54.2	53
HB1CCLS22100-WWL	338 lbs.	54.9	51
HB1CCLS22100-WWS	346 lbs.	55.3	52
HB1CCLS22100-WYG	391 lbs.	54.2	53
HB1CCLS22100-WYL	338 lbs.	54.9	51
HB1CCLS22100-WYS	346 lbs.	55.3	52
HB1CCLS2240-WWG	192 lbs.	22.6	53
HB1CCLS2240-WWL	172 lbs.	22.9	51
HB1CCLS2240-WWS	174 lbs.	23.1	52
HB1CCLS2240-WYG	192 lbs.	22.6	53
HB1CCLS2240-WYL	172 lbs.	22.9	51
HB1CCLS2240-WYS	174 lbs.	23.1	52
HB1CCLS2253-WWG	237 lbs.	29.5	53
HB1CCLS2253-WWL	209 lbs.	29.9	51
HB1CCLS2253-WWS	214 lbs.	30.1	52
HB1CCLS2253-WYG	237 lbs.	29.5	53
HB1CCLS2253-WYL	209 lbs.	29.9	51
HB1CCLS2253-WYS	214 lbs.	30.1	52
HB1CCLS2276-WWG	315 lbs.	41.6	53
HB1CCLS2276-WWL	275 lbs.	42.1	51
HB1CCLS2276-WWS	271 lbs.	42.4	52

MODEL NUMBER	WEIGHT	CUBES	PAGE
HB1CCLS2276-WYG	315 lbs.	41.6	53
HB1CCLS2276-WYL	275 lbs.	42.1	51
HB1CCLS2276-WYS	271 lbs.	42.4	52
HB1LCT	116 lbs.	21.2	54
HB1LCTS-W	168 lbs.	28.2	54
HB1LCTS-Y	187 lbs.	28.2	54
HB1TRD36-W	38 lbs.	3.5	29
HB1TRD42-W	48 lbs.	4.7	29
HB1TRD48-W	60 lbs.	6.0	29
HB1TRD54-W	73 lbs.	7.5	29
HB1TRD60-W	88 lbs.	9.2	29
HB1TRD66-W	104 lbs.	11.0	29
HB1TRD72-W	122 lbs.	13.0	29
HB1TRT42108-W	135 lbs.	11.6	30
HB1TRT42120-W	149 lbs.	12.8	30
HB1TRT4272-W	94 lbs.	7.8	30
HB1TRT4284-W	107 lbs.	9.1	30
HB1TRT4296-W	121 lbs.	10.3	30
HB1TRT48108-W	153 lbs.	13.1	30
HB1TRT48120-W	169 lbs.	14.5	30
HB1TRT48144-W	201 lbs.	17.4	30
HB1TRT4872-W	105 lbs.	8.9	30
HB1TRT4884-W	121 lbs.	10.3	30
HB1TRT4896-W	137 lbs.	11.7	30
HB1TRT54120-W	189 lbs.	16.2	31
HB1TRT54144-W	225 lbs.	19.4	31
HB1TRT60120-W	209 lbs.	17.9	31
HB1TRT60144-W	249 lbs.	21.4	31
HK17009011	1 lbs.	0.1	36
HK17009012	1 lbs.	0.1	39
HK17010011	1 lbs.	0.1	39
HK17010173	1 lbs.	0.1	36
HK170107602	1 lbs.	0.1	39
HK17014712	1 lbs.	0.1	39
HK17026701	1 lbs.	0.1	39
HK17041111	1 lbs.	0.1	36
HK17045412	1 lbs.	0.1	38
HK17049111	1 lbs.	0.1	37
HK17049112	1 lbs.	0.1	37
HK17049114	1 lbs.	0.1	37
HK17049115	1 lbs.	0.1	37
HK17049116	1 lbs.	0.1	38
HK17061602	1 lbs.	0.1	38
HK1BSD18-W	220 lbs.	8.7	44
HK1BSD24-W	230 lbs.	14.2	44
HK1BSD36-W	265 lbs.	28.9	44
HK1BSDA18-W	220 lbs.	8.7	44
HK1BSDA24-W	230 lbs.	14.2	44
HK1BSDA36-W	265 lbs.	28.9	44
HK1MC-AHW	12 lbs.	1.1	34
HK1MC-ASP	12 lbs.	1.1	34
HK1MC-WHW	12 lbs.	1.1	35
HK1MC-WSP	12 lbs.	1.1	35
HK1PG-SP	7 lbs.	0.3	33
HK1PWKRT12	8 lbs.	5.0	40
HK1TRASH	5 lbs.	1.4	40